

NOTES:

- 1. STEPS SHALL BE STEEL CONFORMING TO ASTM A307 AND SHALL BE GALVANIZED AFTER FABRICATION. UNLESS OTHERWISE NOTED, STEPS MAY ALSO BE POLYPROPYLENE STEPS, STEEL REINFORCED, CONFORMING TO SPPWC 636.
- 2. IF STAINLESS STEEL STEPS ARE REQUIRED, THE MATERIAL SHALL CONFORM TO ASTM A276, 300 SERIES.
- 3. STEP ENDS MAY BE TYPE 1, 2 OR 3, AS SHOWN.
- 4. BOTTOM STEP SHALL BE A MAXIMUM OF 600 mm (2') ABOVE FLOOR OR SHELF.
- 5. STEPS WITH TYPE 1 OR 2 ENDS MAY BE CAST IN PLACE, OR PLACED IN THE CENTER OF 40 mm (1-1/2") MIN DIA DRILLED OR FORMED HOLES AND SET WITH HIGH STRENGTH NON-SHRINK GROUT, 40 MPa (6000 PSI) MIN. STEPS WITH TYPE 3 ENDS SHALL BE CAST IN PLACE.

STANDARD PLANS FOR PUBLIC WORKS CONSTRUCTION

STEEL STEP

STANDARD PLAN METRIC

635 - 2