FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ONAL FLOOD INSURANCE PROGRAM

Expires December 31, 2005

O.M.B. No. 3067-0077

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

		SECTION A - I	PROPERTY OWNER INFORMA	ATION	For Insurance Company Use:
BUILDING OWNER'S NA					Policy Number
Rapid Plumbing Ser		A_1 11-2 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			
3840 Miraloma	RESS (Including /	Apt., Unit, Suite, and/or Bl	ldg. No.) OR P.O. ROUTE AND B	BOX NO.	Company NAIC Number
CITY			STATE	ZIP COL	DΕ
Anaheim PROPERTY DESCRIPTI	ON (Lot and Block	Numbers Tay Parcel No	CA umber, Legal Description, etc.)	92806	***************************************
APN: 346-164-07 Parcel		CHOMINGS, TAX FARCEING	urnuci, Logai Description, etc.)		
		dential, Addition, Accesso	ory, etc. Use a Comments area, if	necessary.)	
LATITUDE/LONGITUDE	(OPTIONAL)	HORIZON	TAL DATUM:	SOURCE: GPS (Type	7).
(##° - ##' - ##.##" or ##			□ NAD 1983	USGS Qua	
	S	ECTION B - FLOOD IN	SURANCE RATE MAP (FIRM) I	NFORMATION	
B1. NFIP COMMUNITY NAME Anaheim, City of 060213	& COMMUNITY NUM	1 _	COUNTY NAME ange	B3 C/	B. STATE
B4, MAP AND PANEL NUMBER 06059C0152	B5. SUFFIX H	B6. FIRM INDEX DATE 2/18/04	B7. FIRM PANEL EFFECTIVE/REVISED DATE 2/18/04	B8. FLOOD ZONE(S) A	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) 244.0
B10. Indicate the source of the					
	FIRM	Community Determ			
B11. Indicate the elevation date			NAVD 1988 <u>⊠</u> rea or Otherwise Protected Area (OP	Other (Describe):	—- Designation Deta
DIE. 13 BIO DUNUNG IWARD III			EVATION INFORMATION (SUF		opply region rate
C1. Building elevations are ba				Finished Construction	
•		then construction of the built		1 mished construction	
			arig is complete. he building for which this certificate is:	heing completed see page	s 6 and 7. If no disarram
accurately represents the			to building for whiteh this continuate is	nous combinion - see halfe	a vanu i, ii no uidylain
• •	• .		FE), AR, AR/A, AR/AE, AR/A1-A30,	AR/AH AR/AO	
			in Item C2. State the datum used. If		ne datum used for the REE in
			rements and datum conversion calcu		
		cument the datum conversion		200 tilo opdoo piovik	LOU DE BIO OUTRESONS DE DE CE US
Datum NAVD 1988 Con					
		he elevation reference mark	cused appear on the FIRM?	s 🗆 No	
o a) Top of bottom floor (245. 31 ft.(m)		LAND SUA
o b) Top of next higher flo	_	•	<u>NA</u> ft.(m)	d Se	White CAND of the
o c) Bottom of lowest hor	izontal structural me	ember (V zones only)	1) A-ft.(m)	sse(The state of the s
o d) Attached garage (top	•		<u>N</u> A_ft.(m)	mbo nd E	Q. 30 . 70% . 6
o e) Lowest elevation of a	•	•	2 % %	ber, El ure, al	19 6:35
-	ng (Describe in a Co	mments area)	<u> </u>	imbe natur	No. 6281
o f) Lowest adjacent (finis	, ,		<u>245</u> . <u>01</u> ft.(m)	Sign	No. 6281 Exp. 9-30-08
o g) Highest adjacent (fin			<u>245</u> . <u>28</u> ft.(m)	License Number, Embossed Seal. Signature, and Date Signaturinfulfulfulfulfulfulfulfulfulfulfulfulfulf	
		within 1 ft. above adjacent			MA OF CALLED PINE
o I) Total area of all perm		od vents) in C3.h <u>0</u> sq. in. (s		***************************************	William I William
			, ENGINEER, OR ARCHITECT (
			eer, or architect authorized by law		nation.
			represents my best efforts to inter		
I understand that any false CERTIFIER'S NAME David		e punisnable by fine or in	nprisonment under 18 U.S. Code,		~ C004
	1. NUSCII			LICENSE NUMBER LS C	
TITLEPresident				osell Surveying & Mapping,	Inc.
ADDRESS			CITY	STATE	ZIP CODE
10221 Slater Ave. Ste 110					
	The state of the s		Fountain Valley	CA	02708
SIGNATURE	Company of the second				02708

	opy the correct anding information from			For Insurance Company Use:
BUILDING STREET ADDRESS (Including Ap 3840 Miraloma				Policy Number
CITY Anaheim	ST CA	ATE	ZIP CODE 92806	Company NAIC Number
	OTION D - SURVEYOR, ENGINEER, OR			
Aurea Landard Machael Control	cate for (1) community official, (2) insurance age			
COMMENTS				
), M				
				[""] Obs
SECTION E - BUILDING	S ELEVATION INFORMATION (SURVEY	NOT REQUIRED) E	OR ZONE AO AND ZO	Check here if attachmen
	complete Items E1 through E4. If the Elevation			
Section C must be completed.			1,111	
	ne building diagram most similar to the building t	or which this certificate is	s being completed – see pa	iges 6 and 7. If no diagram accurate
represents the building, provide a ske	, , ,	4: / \ 💆		
 I ne top of the bottom floor (including the natural grade, if available). 	basement or enclosure) of the building is 0 ft.(m) <u>4</u> in.(cm) i⊠ above o	r 🔝 below (check one) tr	e nignest adjacent grade. (Use
	ngs (see page 7), the next higher floor or elevati	ed floor (elevation b) of the	ne building isft.(m)i	n.(cm) above the highest adjacent
grade. Complete items C3.h and C3.				
	and/or equipment servicing the building isft	(m) _in.(cm) \square above	e or Delow (check one)	the highest adjacent grade. (Use
natural grade, if available). 5. For Zone AO only: If no flood death is	umber is available, is the top of the bottom floor	elevated in accordance	with the community's flood	nlain management ordinance?
*	ne local official must certify this information in Se		when the constituting \$ 1000	ран тапаустын ООНЫНСЕ?
	CTION F - PROPERTY OWNER (OR OW	····	TATIVE) CERTIFICATIO	N
	ed representative who completes Sections A, B	•	• • • • • • • • • • • • • • • • • • • •	thout a FEMA-issued or community-
	e. The statements in Sections A, B, C, and E ar		ny knowledge.	
PROPERTY OWNER'S OR OWNER'S Papid Plumbing Services	AUTHORIZED REPRESENTATIVE'S NAME			
DRESS		CITY	STAT	
3840 Miraloma SIGNATURE		Anaheim DATE	CA	92806 PHONE
			F bang lang lang	
COMMENTS				
COMMENTS				Check here if attachmen
COMMENTS	SECTION G - COMMUNITY	INFORMATION (OP	TIONAL)	Check here if attachmen
	SECTION G - COMMUNITY or ordinance to administer the community's floc		 	
The local official who is authorized by law Certificate. Complete the applicable item(or ordinance to administer the community's floc (s) and sign below.	dplain management ord	inance can complete Section	ons A, B, C (or E), and G of this Elevi
The local official who is authorized by law certificate. Complete the applicable item(61. The information in Section C was	or ordinance to administer the community's floc (s) and sign below. taken from other documentation that has been	dplain management ord	inance can complete Sections a licensed surveyor, engi	ons A, B, C (or E), and G of this Elevi
he local official who is authorized by law- certificate. Complete the applicable item of 1. The information in Section C was or local law to certify elevation inf	or ordinance to administer the community's floc s) and sign below. taken from other documentation that has been formation. (Indicate the source and date of the	dplain management ord signed and embossed b elevation data in the Con	inance can complete Section by a licensed surveyor, engi nments area below.)	ons A, B, C (or E), and G of this Elevi neer, or architect who is authorized b
he local official who is authorized by law- lertificate. Complete the applicable item (1. The information in Section C was or local law to certify elevation inf (2. A community official completed S	or ordinance to administer the community's floc (s) and sign below. taken from other documentation that has been	dplain management ord signed and embossed b elevation data in the Con ut a FEMA-issued or con	inance can complete Section by a licensed surveyor, engi nments area below.)	ons A, B, C (or E), and G of this Elevi neer, or architect who is authorized b
he local official who is authorized by law certificate. Complete the applicable item(61. The information in Section C was or local law to certify elevation inf 62. A community official completed S 63. The following information (Items C	or ordinance to administer the community's floc s) and sign below. taken from other documentation that has been formation. (Indicate the source and date of the ection E for a building located in Zone A (withou	dplain management ord signed and embossed be elevation data in the Con at a FEMA-issued or con magement purposes.	inance can complete Sections of a licensed surveyor, enging nments area below.) ormunity-issued BFE) or Zor	ons A, B, C (or E), and G of this Elevi neer, or architect who is authorized b
he local official who is authorized by law- certificate. Complete the applicable item 61. The information in Section C was or local law to certify elevation inf 62. A community official completed S 63. The following information (Items C G4. PERMIT NUMBER	or ordinance to administer the community's floci is) and sign below. taken from other documentation that has been formation. (Indicate the source and date of the ection E for a building located in Zone A (without G4-G9) is provided for community floodplain materials.	dplain management ord signed and embossed b elevation data in the Con at a FEMA-issued or con magement purposes. G6. E	inance can complete Sections of a licensed surveyor, enging nments area below.) ormunity-issued BFE) or Zor	ons A, B, C (or E), and G of this Elevineer, or architect who is authorized be
he local official who is authorized by law- certificate. Complete the applicable item(a1. The information in Section C was or local law to certify elevation infection of the section of	or ordinance to administer the community's flocing or ordinance to administer the community's flocing and sign below. Itaken from other documentation that has been formation. (Indicate the source and date of the ection E for a building located in Zone A (without G4-G9) is provided for community floodplain materials. G5. DATE PERMIT ISSUED New Construction Substantial Improveme	dplain management ord signed and embossed b elevation data in the Con at a FEMA-issued or con magement purposes. G6. E	inance can complete Sections of a licensed surveyor, enging nments area below.) ormunity-issued BFE) or Zor	ons A, B, C (or E), and G of this Elevineer, or architect who is authorized being AO. PLIANCE/OCCUPANCY ISSUED
he local official who is authorized by law certificate. Complete the applicable item(61. The information in Section C was or local law to certify elevation inf 62. A community official completed S 63. The following information (Items C 64. PERMIT NUMBER 67. This permit has been issued for: 88. Elevation of as-built lowest floor (included).	or ordinance to administer the community's flocing and sign below. Itaken from other documentation that has been formation. (Indicate the source and date of the ection E for a building located in Zone A (without G4-G9) is provided for community floodplain materials. G5. DATE PERMIT ISSUED New Construction Substantial Improvement ding basement) of the building is:	dplain management ord signed and embossed b elevation data in the Con at a FEMA-issued or con magement purposes. G6. E	inance can complete Section by a licensed surveyor, enginements area below.) nmunity-issued BFE) or Zoo DATE CERTIFICATE OF COM	ons A, B, C (or E), and G of this Elevineer, or architect who is authorized be
he local official who is authorized by law- certificate. Complete the applicable item(and the information in Section C was or local law to certify elevation infusion. The following information (Items C) G4. PERMIT NUMBER This permit has been issued for:	or ordinance to administer the community's flocing and sign below. Itaken from other documentation that has been formation. (Indicate the source and date of the ection E for a building located in Zone A (without G4-G9) is provided for community floodplain materials. G5. DATE PERMIT ISSUED New Construction Substantial Improvement ding basement) of the building is:	dplain management ord signed and embossed b elevation data in the Con at a FEMA-issued or con magement purposes. G6. E	inance can complete Section of a licensed surveyor, enginements area below.) nmunity-issued BFE) or Zoo DATE CERTIFICATE OF COM	ons A, B, C (or E), and G of this Elevance, or architect who is authorized being AO. PLIANCE/OCCUPANCY ISSUED Datum:
he local official who is authorized by law- certificate. Complete the applicable item(continuation in Section C was or local law to certify elevation infinity. Completed Signary of the following information (Items Continuation). Continuation of the following information (Items Continuation). Continuation of as-built lowest floor (Includes). Co	or ordinance to administer the community's flocing and sign below. Itaken from other documentation that has been formation. (Indicate the source and date of the ection E for a building located in Zone A (without G4-G9) is provided for community floodplain materials. G5. DATE PERMIT ISSUED New Construction Substantial Improvement ding basement) of the building is:	dplain management ord signed and embossed b elevation data in the Con ut a FEMA-issued or con nagement purposes. G6. E	inance can complete Section y a licensed surveyor, enginements area below.) nmunity-issued BFE) or Zor DATE CERTIFICATE OF COM ft.(m)ft.(m)	ons A, B, C (or E), and G of this Elevance, or architect who is authorized being AO. PLIANCE/OCCUPANCY ISSUED Datum:
The local official who is authorized by law Certificate. Complete the applicable item(61. The information in Section C was or local law to certify elevation inf. 32. A community official completed S. 33. The following information (Items C. 44. PERMIT NUMBER 45. This permit has been issued for: \$\int 1 \	or ordinance to administer the community's flocing and sign below. Itaken from other documentation that has been formation. (Indicate the source and date of the ection E for a building located in Zone A (without G4-G9) is provided for community floodplain materials. G5. DATE PERMIT ISSUED New Construction Substantial Improvement ding basement) of the building is:	dplain management ord signed and embossed belevation data in the Con at a FEMA-issued or con nagement purposes. G6. E	inance can complete Section y a licensed surveyor, enginements area below.) nmunity-issued BFE) or Zor DATE CERTIFICATE OF COM ft.(m)ft.(m)	ons A, B, C (or E), and G of this Elevance, or architect who is authorized being AO. PLIANCE/OCCUPANCY ISSUED Datum:
The local official who is authorized by law- Certificate. Complete the applicable item(G1. The information in Section C was or local law to certify elevation inf G2. A community official completed S G3. The following information (Items C G4. PERMIT NUMBER G7. This permit has been issued for: S G8. Elevation of as-built lowest floor (includes). BFE or (in Zone AO) depth of flooding LOCAL OFFICIAL'S NAME COMMUNITY NAME	or ordinance to administer the community's flocing and sign below. Itaken from other documentation that has been formation. (Indicate the source and date of the ection E for a building located in Zone A (without G4-G9) is provided for community floodplain materials. G5. DATE PERMIT ISSUED New Construction Substantial Improvement ding basement) of the building is:	dplain management ord signed and embossed belevation data in the Con at a FEMA-issued or con nagement purposes. G6. E TITLE TELEPHO	inance can complete Section y a licensed surveyor, enginements area below.) nmunity-issued BFE) or Zor DATE CERTIFICATE OF COM ft.(m)ft.(m)	ons A, B, C (or E), and G of this Elevance, or architect who is authorized being AO. PLIANCE/OCCUPANCY ISSUED Datum:

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 2002

Important: Read the instructions on pages 1 - 7. SECTION A - PROPERTY OWNER INFORMATION For Insurance Company Use: BUILDING OWNER'S NAME Policy Number Michael Schroeder BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. Company NAIC Number Mira Loma Avenue STATE ZIP CODE Anaheim California 92806 PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) AP No.346-164-07 being Parcel 4 of Parcel Map 31/1 records of Orange Co BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use Comments section if necessary.) Light Industrial/Office HORIZONTAL DATUM: I GPS (Type): SOURCE: ("######### or "##.### "##") | NAD 1927 J USGS Quad Map SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION 81. NFIP COMMUNITY NAME & COMMUNITY NUMBER **B2. COUNTY NAME** City of Anaheim 060213 Orange County California B4. MAP AND PANEL B5. SUFFIX B6. FIRM INDEX **B7. FIRM PANEL** B8. FLOOD B9. BASE FLOOD ELEVATION(S) NUMBER DATE EFFECTIVE/REVISED DATE ZONE(S) (Zone AO, use depth of flooding) 06059c008 Jan. 3 1997 244.0B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9. I Y I FIRM | | Community Determined Other (Describe): B11. Indicate the elevation datum used for the BFE in B9: [] NGVD 1929 Lyl NAVD 1988 [] Other (Describe): B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? | Yes 🐰 No Designation Date: SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: [__|Construction Drawings* lx_!Building Under Construction* |__|Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. C2. Building Diagram Number 1 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.) C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion. Conversion/Comments Elevation reference mark used OCS / BM2C 112 Opes the elevation reference mark used appear on the FIRM? LIYes a) Top of bottom floor (including basement or enclosure) b) Top of next higher floor LAND ST ft.(m) c) Bottom of lowest horizontal structural member (V zones only) ft.(m) ☐ d) Attached garage (top of slab) Q e) Lowest elevation of machinery and/or equipment DOUGLAS O. FOSTEL servicing the building No. 4599 ft.(m) Ci f) Lowest adjacent grade (LAG) ft.(m) Ex11. 9-30-0 ☐ g) Highest adjacent grade (HAG) ft.(m) O h) No. of permanent openings (flood vents) within 1 fL above adjacent grade i) Total area of all permanent openings (flood vents) in C3h SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001 CERTIFIER'S NAME Douglas O. Foster LICENSE NUMBER LS4599 Land Surveyor/Owner BACK ZIP CODE 10-03-02

FEMA Form 81, AUG 99

	spaces, copy the corresponding informations (including Apt., Unit, Suite, and/or Bldg. No.) O		For Insurance Company Use:
3840 E. N	Mira Loma Avenue	(Policy Number
спү Anaheim	California	21P CC 92806	ODE Company NAIC Number
.	SECTION D - SURVEYOR, ENGINEER, OR A	ARCHITECT CERTIFICATION	(CONTINUED)
CANAL TANAL DOCUMENT OF THE PARTY OF THE PAR	levation Certificate for (1) community official, (ыйстатын кылгын элимий унун ташт шындалунун том эх эхэлсэндэг галаганы нагалаганы сараа байн айсан айсанын айсанын	THE PARTY OF THE P
COMMENTS			
Auro a l'emmercher art en conservamante en miggionnéphie, prése, caméro debraños en acreaceau cipique à piùndi 			
M (p = 1 Phon Ma continued on del gay, chambér de reservantes and continued mandes of production and design by the reservant sections.		der er e	
Which are purposed in Vision and an extension of the same of the s		BELLER CONTROL OF BELLER AND A STATE OF THE	
AT LESS CONTROL TO THE CONTROL OF TH			
SECTION E - BUILD	ING ELEVATION INFORMATION (SURVEY	NOT REGURED) FOR ZONE	Check here if attachments
For Zone AO and Zone A ((without BFE), complete Items E1 through E3.	If the Elevation Certificate is in	atended for use as supporting
information for a LOMA or	LOMR-F, Section C must be completed.		
E1. Building Diagram Num	ber(Select the building diagram most no diagram accurately represents the building	similar to the building for which	this certificate is being completed -
	floor (including basement or enclosure) of the		on.) L_lin.(cm) L_l above or below
(check one) the highes	st adjacent grade.	Service Control of the Control of th	- Annual Control of the Control of t
E3. For Zone AO only: If r	no flood depth number is available, is the top ont ordinance? Yes No Unknow	of the bottom floor elevated in a	ccordance with the community's
annowalish and a second	ECTION F - PROPERTY OWNER (OR OWN	ER'S REPRESENTATIVE) CE	ry this information in Section G.
The property owner or ow	ner's authorized representative who complete		
community-issued BFE) o	r Zone AO must sign here.	•	,
PROPERTY OWNER'S OR C	DWNER'S AUTHORIZED REPRESENTATIVE'S NA	ME	
ADDRESS	CI	TY	NTE ZIP CODE
SIGNATURE	\Q	ATE TEI	EPHONE
COMMENTS			
ومرد مردوح مردو معتاس ومعطاد بريز القرابة إليان ديار بالراب مراجع إنجاذ راج البلغة منواز بوومس فحودة الإنافية			Check here if attachments
The Incal official who is aut	SECTION G - COMMUNITY IN horized by law or ordinance to administer the o		namen as statute of the first transport and produce and produce and produce and the state of the
Sections A, B, C (or E), and	l G of this Elevation Certificate. Complete the	applicable item(s) and sign bel	ow.
G1. L The information in	Section C was taken from other documentatio	n that has been signed and em	bossed by a licensed surveyor.
engineer, or archite elevation data in the	ect who is authorized by state or local law to c ne Comments area below.)	ertify elevation information. (In	dicate the source and date of the
	al completed Section E for a building located in	n Zone A (without a FEMA-issu	ed or community-issued BFE) or
Zone AO.			
	nation (Items G4-G9) is provided for communi		
G4, PERMIT NUMBER	G5. DATE PERMIT ISSUED	G6. DATE CERTIFICATE	OF COMPLIANCE/OCCUPANCY
	sued for. New Construction Sub	stantial Improvement	
38. Elevation of as-built low	rest floor (including basement) of the building i opth of flooding at the building site is:	***************************************	ft.(m) Datum;
LOCAL OFFICIAL'S NAME	pur or recording at the bolloing site is:		ft.(m) Datum:
COMMUNITY NAME		TILLE	
SIGNATURE		TELEPHONE	
COMMENTS		DATE	
COMMENTS.			
			Check here if attachments

Expires July 31, 2002


NATIONAL FLOOD INSURANCE PROGRAM
L EVATION CERTIFICATE


	Important: R	nd the instructions on page		For Insurance Company Use:
	SECTION A - F	ROPERTY OWNERINFORMAT	пом	Policy Number
NG OWNER'S NAME				
DING STREET ADDRESS (Including A	SCHPOEDER	BID NO LOR P.O. ROUTE AND B	BOX NO.	Company NAIC Number
DING STREET ADDRESS (Including A	AN AVE			ZIP CODE
	NR YIVO	STATE		92806
ANAMEIM		Number Legal Description etc.)		
	Numbers, Tax Parcel	Number, Legar Description, 1999		
DPERTY DESCRIPTION (Lot and Block Pt. 34.164.07 Pc. 9 PL. 101NG USE (e.g., Rasidential, Non-residential)	dential, Addition, Acces	ssdry, etc. Use a Comments area,	if necessary.)	
VACANT SITE - LIGHT			I GPS (Type):	
ITLIDEA ONGITUDE (OPTIONAL)	HURIZUNIAL	NAD 1983	USGS Quad Mar	Other:
y° - ##' - ##,###" or ##.#####")	B. Marry			\$
SEC	TION B - FLOOD IN	ISURANCE RATE MAP (FIRM	1) INFORMATION	Y
NFIP COMMUNITY NAME & COMMUN	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	32, COUNTY NAME		B3. STATE
NEIP COMMUNITY NAME & COMMO	7213	ORANGE		T 89. BASE FLOOD ELEVATION(S)
	T B6. FIRM INDEX	B7. FIRM PANEL	B8. FLOOD ZONE(S)	(Zone AO, use depth of flooding)
4. MAP AND PANEL 85. SUFFIX NUMBER	DATE	EFFECTIVE/REVISED DATE	20142(3)	244.0
	1397	1/3/97	red in B9	
Indicate the source of the Base Fi	ood Elevation (BFE)	Determined Other (De	escribe):	
I IEIS Profile IXIFIRM	Community		ann I I Other / [escribe):
FIS Profile	for the BFE in B9. L	System (CRRS) area or Other	wise Protected A	rea (OPA)? Yes X No
Is the building located in a Coasta	l Barner Resources	System (OUTIO) 1.12		
		ELEVATION INFORMATION (S		
Designation Date:			J G (t 1	
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accu	Construction Or e required when con Select the building durately represents the H. A. (with BFE), VE	awings" [[8uilding Undo struction of the building is com fiagram most similar to the build ie building, provide a sketch or [_V1-V30_V (with BFE), AR, AF	er Construction plete. ding for which thi photograph.) R/A, AR/AE, AR/A	s certificate is being completed - s A1-A30, AR/AH, AR/AO
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number (pages 6 and 7. If no diagram accu- Elevations – Zones A1-A30, AE, A	Construction Or required when con Select the building durately represents the H. A. (with BFE), VE ording to the building	awings* [[8uilding Undo struction of the building is com- diagram most similar to the build se building, provide a sketch or second V (with BFE), AR, Af g diagram specified in Item C2. datum to that used for the BFE. s area of Section D or Section of	er Construction plete. ding for which thi photograph.) RVA, AR/AE, AR/A State the datum	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number (pages 6 and 7. If no diagram accuted Elevations – Zones A1-A30, AE, A Complete Items C3.a-i below accounted datum used for the BFE in Second Calculation. Use the space provides	Construction Drace required when con Select the building durately represents that, A (with BFE), VE ording to the building ction B, convert the conforments	awings* [[8uilding Understruction of the building is compliagram most similar to the building building, provide a sketch or [V1-V30, V (with BFE), AR, AF, and a specified in Item C2. Item to that used for the BFE, area of Section D or Section of the structure.	er Construction plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum . Show field mead G, as appropriate	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversi
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number (pages 6 and 7. If no diagram accumulations – Zones A1-A30, AE, A Complete Items C3.a-i below accomplete datum used for the BFE in Second calculation. Use the space provided the Conversion of the BFE in Second calculation.	Construction Dre required when con Select the building durately represents the H, A (with BFE), VE ording to the building ction B, convert the ded or the Comments	awings* [[8uilding Understruction of the building is compliagram most similar to the building provide a sketch or V1-V30, V (with BFE). AR, AF diagram specified in Item C2. datum to that used for the BFE. s area of Section D or Section Capas the elevation reference.	er Construction plete. ding for which thi photograph.) R/A, AR/AE, AR// State the datum . Show field mea: G, as appropriate ce mark used app	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum convers
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number (pages 6 and 7. If no diagram accumulations – Zones A1-A30, AE, A Complete Items C3.a-i below accomplete datum used for the BFE in Second calculation. Use the space provided the Conversion of the BFE in Second calculation.	Construction Dre required when con Select the building durately represents the H, A (with BFE), VE ording to the building ction B, convert the ded or the Comments	awings* [[8uilding Understruction of the building is compliagram most similar to the building provide a sketch or V1-V30, V (with BFE). AR, AF diagram specified in Item C2. datum to that used for the BFE. s area of Section D or Section Capas the elevation reference.	er Construction plete. ding for which thi photograph.) R/A, AR/AE, AR// State the datum . Show field mea: G, as appropriate ce mark used app	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum convers
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.a	Construction Or e required when con Select the building our ately represents the H, A (with BFE), VE ording to the building ction B, convert the ded or the Comment on/Comments	awings* 8uilding Understruction of the building is compliagram most similar to the building provide a sketch or V1-V30, V (with BFE), AR, AF g diagram specified in Item C2. datum to that used for the BFE area of Section D or Section Cosure)	plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum . Show field meas G, as appropriate ce mark used app tft.(m) vo	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum convers pear on the FIRM? Yes
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.a	Construction Dre required when con Select the building durately represents that, A (with BFE), VE ording to the building ction B, convert the orded or the Comment on/Comments ag basement or enclustructural member (awings* 8uilding Understruction of the building is compliagram most similar to the building provide a sketch or V1-V30, V (with BFE), AR, AF g diagram specified in Item C2. datum to that used for the BFE area of Section D or Section Cosure)	plete. ding for which thi photograph.) R/A, AR/AE, AR// State the datum . Show field mean G, as appropriate ce mark used appropriate ft.(m) ft.(m) ft.(m)	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum convers
SECTI Quilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Ite	Construction Dre required when con Select the building durately represents the H, A (with BFE), VE ording to the building ction B, convert the coded or the Comment on/Comments ag basement or enclustructural member (ab)	awings* 8uilding Understruction of the building is compliagram most similar to the building building, provide a sketch or V1-V30, V (with BFE), AR, Afordiagram specified in Item C2, datum to that used for the BFE, area of Section D or Section Course) Does the elevation reference osure)	plete. ding for which thi photograph.) RVA, AR/AE, AR/A State the datum. Show field mear G, as appropriate e mark used appropriate ft.(m) ft.(m) ft.(m) ft.(m)	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum convers pear on the FIRM? Yes
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.	Construction Dre required when con Select the building ourately represents that, A (with BFE), VE ording to the building ction B, convert the orded or the Comments on/Comments ag basement or enclustructural member (ab)	awings* 8uilding Understruction of the building is compliagram most similar to the building is compliagram most similar to the building provide a sketch or the building, provide a sketch or the building is compliant. AR,	plete. ding for which thi photograph.) RVA, AR/AE, AR/A State the datum. Show field mear G, as appropriate e mark used appropriate ft.(m) ft.(m) ft.(m) ft.(m)	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum convers pear on the FIRM? Yes
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accumulation. Use the BFE in Secalculation. Use the space provided by Top of bottom floor (including a) Top of bottom floor (including b) Top of next higher floor a) Bottom of lowest horizontal and Attached garage (top of slate of the building (Des	Construction Or e required when con Select the building durately represents the H, A (with BFE), VE ording to the building ction B, convert the edd or the Comment on/Comments ag basement or enclustructural member (ab) hery and/or equipment or a Comment or and/or equipment or and/or equ	awings* 8uilding Understruction of the building is compliagram most similar to the building building, provide a sketch or V1-V30, V (with BFE), AR, AF grading diagram specified in Item C2. datum to that used for the BFE area of Section D or Section Course)	plete. ding for which thi photograph.) R/A, AR/AE, AR// State the datum . Show field means G, as appropriate ce mark used appropriate ft.(m)	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversion bear on the FIRM? Yes
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.a	Construction Dre required when con Select the building of urately represents that, A (with BFE), VE ording to the building of the Comment of	awings* 8uilding Understruction of the building is compliagram most similar to the building is compliagram most similar to the building provide a sketch or V1-V30, V (with BFE), AR, AF grading diagram specified in Item C2. datum to that used for the BFE is area of Section D or Section Course)	plete. ding for which thi photograph.) R/A, AR/AE, AR// State the datum . Show field means G, as appropriate ce mark used appropriate ft.(m)	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversion bear on the FIRM? Yes 1
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.	Construction Dre required when con Select the building durately represents the H, A (with BFE), VE ording to the building ction B, convert the ded or the Comment on/Comments ag basement or enclustructural member (ab) hery and/or equipment or a Comment or a Comment or a Comment or and/or equipment or a Comment or a C	awings* 8uilding Understruction of the building is compliance and in the building is compliance building, provide a sketch or V1-V30, V (with BFE), AR, AF a diagram specified in Item C2. Item to that used for the BFE area of Section D or Section Course)	plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum . Show field mean G, as appropriate ce mark used appropriate ft.(m) ft.(m) ft.(m) ft.(m) ft.(m) gf ft.(m) graphy ft.(m) graphy ft.(m) graphy graphy ft.(m) graphy graph	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversion bear on the FIRM? Yes 1
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.a	Construction Dre required when con Select the building of grately represents the H, A (with BFE), VE ording to the building ction B, convert the order or the Comments of the Comment of t	awings* 8uilding Understruction of the building is compliance and see building, provide a sketch or V1-V30, V (with BFE), AR, AF g diagram specified in Item C2. datum to that used for the BFE area of Section D or Section Course) Does the elevation reference osure) V zones only) Int sarea.) 268 245 11ft. above adjacent grade	plete. ding for which thi photograph.) R/A, AR/AE, AR// State the datum . Show field means G, as appropriate ce mark used appropriate ft.(m) ft.(m) ft.(m) ft.(m) ft.(m) ft.(m) ft.(m) ft.(m) ft.(m) g, cm)	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversion bear on the FIRM? Yes
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.a	Construction Dre required when con Select the building durately represents the H, A (with BFE), VE ording to the building ction B, convert the ordination B, convert the confidence of the Comments of the convertion B, converting the convertion B, converting the convertion B, converting the convertion B, converting the conv	awings* 8uilding Understruction of the building is compliance and see building, provide a sketch or V1-V30, V (with BFE), AR, AF g diagram specified in Item C2. datum to that used for the BFE, area of Section D or Section Course)	plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum . Show field mean G, as appropriate ce mark used appropriate ft.(m) f	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversion bear on the FIRM? Yes 1
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.	Construction Dre required when con Select the building of grately represents the H. A. (with BFE). VE profing to the building oction B, convert the oction B, convert the order or the Comment on/Comments ag basement or enclustructural member (ab) are and/or equipment or a Comment or a Comment or a Comment or and (LAG) are and (LAG) are and (HAG) by (flood vents) within openings (flood vents)	awings* 8uilding Understruction of the building is compliagram most similar to the building is compliagram most similar to the building provide a sketch or V1-V30, V (with BFE), AR, AF diagram specified in Item C2. datum to that used for the BFE sarea of Section D or Section Course)	plete. ding for which thi photograph.) RVA, AR/AE, AR/A State the datum. Show field mea: G, as appropriate ce mark used appropriate ft.(m) ft.	s certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversi pear on the FIRM? _ Yes _ ATION water certifity elevation information.
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.	Construction Dre required when conselect the building of the presents that, A (with BFE), VE ording to the building of the Comment of the Com	awings* 8uilding Understruction of the building is compliance and in the building is compliance building, provide a sketch or V1-V30, V (with BFE), AR, AF a diagram specified in Item C2. Idea to that used for the BFE is area of Section D or Section Course)	plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum. Show field means as appropriate ft.(m) ft	S certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion at to document the datum conversion bear on the FIRM? Yes ATION In the data available.
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.	Construction Dre required when conselect the building of the presents that, A (with BFE), VE ording to the building of the Comment of the Com	awings* 8uilding Understruction of the building is compliance and in the building is compliance building, provide a sketch or V1-V30, V (with BFE), AR, AF a diagram specified in Item C2. Idea to that used for the BFE is area of Section D or Section Course)	plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum. Show field means as appropriate ft.(m) ft	S certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion at to document the datum conversion bear on the FIRM? Yes ATION In the data available.
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.	Construction Dre required when conselect the building of the presents that, A (with BFE), VE ording to the building of the Comment of the Com	awings* 8uilding Understruction of the building is compliance and in the building is compliance building, provide a sketch or V1-V30, V (with BFE), AR, AF a diagram specified in Item C2. Idea to that used for the BFE is area of Section D or Section Course)	plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum. Show field means as appropriate ft.(m) ft	S certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion at to document the datum conversion bear on the FIRM? Yes ATION In the data available.
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number(pages 6 and 7. If no diagram accumulations — Zones A1-A30, AE, A Complete Items C3.a-i below accomplete Items C3.	Construction Dre required when conselect the building of the presents that, A (with BFE), VE ording to the building of the Comment of the Com	awings*	plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum. Show field means as appropriate ft.(m) ft	S certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion at to document the datum conversion bear on the FIRM? Yes ATION In the data available.
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number	Construction Dre required when conselect the building of the property of the property of the consent of the consent of the comment of the com	awings* 8uilding Understruction of the building is compliance and in the building is compliance building, provide a sketch or V1-V30, V (with BFE), AR, AF a diagram specified in Item C2. Idea to that used for the BFE is area of Section D or Section Course)	er Construction plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum . Show field mean G, as appropriate ce mark used appropriate ft.(m) ft.(m) ft.(m) ft.(m) ft.(m) ft.(m) g. ft	S certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversion of the firm
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number	Construction Dre required when con Select the building of urately represents the H, A (with BFE), VE ording to the building of the Comment of	awings*	er Construction plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum . Show field mean G, as appropriate ce mark used appropriate te mark used appropriate ft.(m) ft.	S certificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversion e, to document the datum conversion of the firm of the firm of the data available. Section 1001. **RCE 29CIC** TE ZIP CODE **EXECUTE TE ZIP
Ruilding elevations are based on: A new Elevation Certificate will be Building Diagram Number	Construction Dre required when con Select the building of urately represents the H, A (with BFE), VE ording to the building of the Comment of	awings*	er Construction plete. ding for which thi photograph.) R/A, AR/AE, AR/A State the datum . Show field mean G, as appropriate ce mark used appropriate te mark used appropriate ft.(m) possible ft.(m) possible ft.(m) 35 ft.(m) possible ft.(m) 35 ft.(m) 2 g. cm) ECT CERTIFICA authorized by lave to efforts to interest efforts efforts to interest efforts efforts to interest efforts effort	Section 1001. Secrificate is being completed - s A1-A30, AR/AH, AR/AO used. If the datum is different from surements and datum conversions, to document the datum conversion on the FIRM? Yes ATION Vito certify elevation information. Section 1001. CIE 29CIC

DING STREET ADDRESS (Including Apt., Unit, Scite, and/or	OR P.O. ROUTE AND BUX	
		ODE Company NAIC Number
TOTAL OUDVEYOR ENGIN	OR ARCHITECT CERTIFICA	ATION (CONTINUED)
SECTION D - SURVEYOR, ENGIRED by both sides of this Elevation Certificate for (1) community of		
y both sides of this Elevation Certificate for (1) community of		
HONE		
	anarus	
		Check here if attachmen
SECTION E - BUILDING ELEVATION INFORMATION (SUI	RVEY NOT REQUIRED) FOR	R ZONE AO AND ZONE A (WITHOUT BFE)
Zone AO and Zone A (without BFE), complete Items E1. thromation for a LOMA or LOMR-F, Section C must be complete Building Diagram Number (Select the building diagram see pages 6 and 7. If no diagram accurately represents the The top of the bottom floor (including basement or enclosure (check one) the highest adjacent grade. (Use natural grade, For Building Diagrams 6-8 with openings (see page 7), the n ft.(m) lin.(cm) above the highest adjacent grade. For Zone AO only. If no flood depth number is available, is to floodplain management ordinance? Yes No SECTION F - PROPERTY OWNER (Or e property owner or owner's authorized representative who continued a FEMA-issued or community-issued BFE) or Zone AC as best of my knowledge. OPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATION.	n most similar to the building for building, provide a sketch or provide a sketch of the bottom floor eleved by the sketch of the sk	for which this certificate is being completed — photograph.) ft.(m)
SMATURE	10/12/9	909. 272.1072
Divinients Like	· · · · · · · · · · · · · · · · · · ·	
\ Lose	<u> </u>	l Check here if attachme
TOLIC COMM	UNITY INFORMATION (OPT	LANCE CONTRACTOR OF THE PROPERTY OF THE PROPER
e local official who is authorized by law or ordinance to administrations A, B, C (or E), and G of this Elevation Certificate. Come in the information in Section C was taken from other documents are a considered by state or local elevation data in the Comments area below.) L. I. A community official completed Section E for a building Zone AO. L. I. The following information (Items G4-G9) is provided for	ister the community's floodplanplete the applicable item(s) a umentation that has been signal law to certify elevation infor the community floodplain managers	lain management ordinance can complete and sign below. ned and embossed by a licensed surveyor, rmation. (Indicate the source and date of the FEMA-issued or community-issued BFE) or gement purposes.
4. PERMIT NUMBER G5. DATE PERMIT IS SUEC	G6. DATE C ISSUED	CERTIFICATE OF COMPLIANCE/OCCUPANCY
7. This permit has been issued for. New Construction 3. Elevation of as-built lowest floor (including basement) of th 9. BFE or (in Zone AO) depth of flooding at the building site is	6 parting 19. —	entft.(m)Datum: ft.(m)Datum:
OCAL OFFICIAL'S NAME	TITLE	
COMMUNITY NAME	TELEPHONE	
SIGNATURE	DATE	
COMMENTS		
		
/		
		_ Check here if attachm



3840 E. Miraloma Avenue North view of building





3840 E. Miraloma Avenue South view of building