\sim

ELEVATION CERTIFICATE National Flood Insurance Program

ATTENTION: This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances.

Instructions for completing this form can be found on the following pages. SECTION A - PROPERTY INFORMATION Owner's Name ↓ TRAVELODGE Street Address (including apt., unit, suite and/or bldg. number) or P.O. Route and Box number 1 5710 E. La Palma Avenue Other Description (Lot and Block numbers, etc.) + 349-081-6 ··· State Zip Code City J **925**07 -2230 CA Anaheim SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM: 6. Base Flood Elevation 4. Date of FIRM Index 5. FIRM Zone 3. Suffix 2. Panel No. 1. Community No. (in AQ Zones, use depth) 287.25 Ē 9/15/89 ΑE 15 060213 Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): X NGVD'29 ___ Other (describe For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site. ₽. indicate the community's BFE: _____ feet NGVD (or other FIRM datum - see Section B, Item 7. SECTION C - BUILDING ELEVATION INFORMATION Using the Elevation Certificate Instructions, indicate the diagram number that best describes the subject building's reference level ___i_. 2.(a) FIRM Zones A1-A30, AE, AH and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 288. 6 feet NGVD (or other FIRM datum - see Section B, Item 7. 2.(b) FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is _____ feet above ____ or below ____ (check one) the highest grade adjacent to the building. 2.(c) FIRM Zone AO. The floor used as the reference level from the selected diagram is _____ feet above __ or below __ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (referenced level) elevated in accordance with the community's floodplain management ordinance: __Yes __No __Unknown indicate the elevation datum system used in determining the above reference level elevations: 3. X NGVD'29 ____ Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM (see Section B, Item 7), then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2). Elevation reference mark used appears on FIRM: ____ Yes ___ No (See Instructions on Page 4). The reference level elevation is based on: X actual construction ___ construction drawings. (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete). The elevation of the lowest grade immediately adjacent to the building is: 288 4 feet HGVD (or other FIRM datum - see 6. Section B, Item 7).

| | ANDONEATION |
|--|---|
| SECTION D - COMMUNITY INFORMATION | |
| If the community official responsible for verifying bull tem 1, is not the "lowest floor" as defined in the community flowest floor" as defined by the ordinance is: Date of the start of construction or substantial impro | Ilding elevations specifies that the reference level indicated in Section C, nunity's floodplain management ordinance, the elevation of the building's feet NGVD (or other FIFM datum - see Section B, Item 7). overnent feet NGVD (or other FIFM datum - see Section B, Item 7). |
| SECTION E - CERTIFICATION | |
| information when the elevation information to Zones At Community officials who are authorized by local law or or certification. In the case of Zones AO and A (without a F an owner representative may also sign the certification. | eer, or architect who is authorized by state or local law to certify elevation 1-A30, AE, AH, A (with BFE), V1-V30, VE and V (with BFE) is required dinance to provide floodplain management information, may also sign the EMA or community issued BFE), a building official, a property owner, or |
| enclosure size, location of servicing equipment, area use included in the certification under Comments below. The | ures - if the certifier is unable to certify to breakaway/non-breakaway wall , wall openings, or unfinished area Feature(s), then list the Feature(s) no e diagram number, Section C. Item 1, must still be entered. |
| I certify that the information in Sections B and C on this understand that any false statement may be punishable in | by fine or imprisonment under 18 U.S. code, 3 critical 1001. |
| Certifier's Name: Larry V. Case | License Number (or Affix Seal) |
| | Company Name: City: Signal Hill, Ca |
| Address: 2859 Gundry Ave. | |
| Signature: | Date: 4/27/95 Phone: (3/0) 427-7445 |
| Copies should be made of this Certificate for: 1) com | nmunity official, 2) insurance agent/company and 3) building owne |
| | |
| Comments: | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Cert.wp | |